

#### **Purchasing Receipts**

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days
PO039701	MES002- VC	1	1	Net 30		4130 Round Tube .750 X.049W : MATERIAL: AISI 4130N STEEL TUBING AS PER MIL-T-6736 OR AMS 6371/6360/6361/6362 6373/6374 receive ft				40	5/7/2018	40		\$070006	Stock	5/10/2018	\$ 11.25 / ft	
		2				4140 Round Bar 1.125: AISI 4140H ROUND BAR PER AISI4140OR ASTM A304-02/-A-434-BC/- A193-03-GRADE B7/-A29-03/-A322-91 OR UNS#-G41400 MINIMUM ULTIMATE TENSILE STRENGTH=100 KSI MINIMUM YIELD TENSILE STRENGTH=66KSI receive ft				20		22		\$070007	Stock	5/10/2018	\$ 7.10 / ft	0
									Total:	60		62						

Plex 5/10/2018 8:06 AM Dart. Dubois. Pascal



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

#### **PURCHASE ORDER** PO039701

Tel (613) 632-5200

Supplier:

MES002-VC

Metaux Solutions

2625 boul Jacques-Cartiler Est

Longueuil QC

J4N 1L7 Canada Phone: 800 558 8858 Fax: 514 633 8044

PO No:

PO039701

PO Date:

4/25/18

**Due Date:** 

5/7/18

**Purchase Order** 

Revision:

**Revision Date: Ship-To Contact:** 

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

**Pymt Terms:** 

Net 30

Freight Terms:

Special Comments: bid 27149

REUIST

ı	U	e	ı	I	1	S
_	-	_				_

Line Item		Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	-Contract 200	Unit Price (CAD)	Extended Price
1	M4130NT0.750W.049		4130 Round Tube .750 X.049W : MATERIAL: AISI 4130N STEEL TUBING AS PER MIL-T-6736 OR AMS 6371/6360/6361/6362 6373/6374 receive ft	Firmed	5/7/18	40 ft	39.5°		\$11.25/ft AY 0 9 2019	
2	M4140H-R1.125		4140 Round Bar 1.125 : AISI 4140H ROUND BAR PER AISI4140OR ASTM A304-02/-A-434-BC/-A193- 03-GRADE B7/-A29-03/- A322-91 OR UNS#-G41400 MINIMUM ULTIMATE TENSILE STRENGTH=100 KSI MINIMUM YIELD TENSILE STRENGTH=66KSI receive ft	Firmed	5/7/18	20 ft	12	20 ft	\$7.10/ft MAY 0 9 20	\$142.00

**Order Notes** 

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 4/27/18 7:45 AM dart.lavoie.chantal

DAS 11 9-89

DAS

11 9-89

Shipping Order

08/05/2018

METAUX SOLUTIONS INC

Customer: 6323336

K6A 1K7

2625 BOUL JACQUES CARTIER EST

DART AEROSPACE LTD 1270, ABERDEEN STREET

HAWKESBURY, ONTARIO

LONGUEUIL, QUEBEC

J4N 1L7

Tel.: 450 641-3330

Order Reference : 134770

Bid

: 39701

: 27149

Ship

: PICK UP / PICK UP

Ship To

Same

Tel.: 1613 632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
	****** FACTURER E-MAIL ******* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	****** FACTURER E-MAIL ******* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N	,		
DT3404930	4130N TUBE .750 X .049	3,9.5	39.5	10
	2 x 19 75' ht;606100		(A)	
MR11841H	4140 HTSR ROU 1.125 DIA	22	(25)	cl
	1 x 22' ht;75065099			<del></del>
	ship journey collect			

Ref. Shipping: Package No :\_ Merchandise Received:

# CERTIFICATE OF TEST **CERTIFICAT D'ESAIS**

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT Page 01 of 02

Certification Date 4-MAY-2018

Invoice Number T379178

44655-J PART NUMBER/NUMÉRO DE PIÈCE

100182

SOLD TO: VENDU À: METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1

Description: 4430 CDS TUBING AMS T 6736 COND N;

750 OD X .049 W () 652 ID) X 17/24' R/L HEAT: 606100

ITEM: 100182

Line Total: 36.9783 FT

Specifications:

AMS T 6736 B

ASTM A450 ASTM E1444

FAR BAA FAR 52.225-1

MIL T 6736 B ASTM E112

DFARS 252.225-7001

AMS 6360 M AMS 2640 J

EN 10204 3.1/3.2 04

FAR TAA FAR 52.225-5

CHEMICAL ANALYSIS

C MN P S SI CU NI 0.31 0.5300 0.012 0.002 0.24 0.15 0.10 0.90

MO V TT AL SN 0.002 0.035 0.20 0.002 0.011

RCPT: R402455

COUNTRY OF ORIGIN : GERMANY \_\_\_\_\_\_\_

MECHANICAL PROPERTIES

YLD STR ULT TEN %ELONG %RED HARDNESS DESCRIPTION PSI PSI IN 02 IN IN AREA RC 118300.0 107400.0 19.0 23

GRAIN SIZE :9 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. ./Par les présentes, nous certifions que le matériel couvert par ce rapport

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

eurne Despreis

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

rencontre les spécifications décrites ci-haut. The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

results remain on file subject to examination. ./Les informations ci-haut-mentionnées sont

transcrites du certificat d'essais du manufacturier après vérification de l'état complet des

# **CERTIFICATE OF TEST CERTIFICAT D'ESAIS**

**CUSTOMER ORDER NUMBER** NUMÉRO DE COMMANDE DU CLIENT Page 02 of 02

Certification Date 4-MAY-2018

Invoice Number T379178

44655-J

PART NUMBER/NUMÉRO DE PIÈCE

100182

SOLD TO: VENDU À:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

11.

: 1

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7 2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1

Description:

4130 CDS TUBING AMS T 6736 COND N;

.750 OD X .049 W (.652 ID) X 17/24' R/L

HEAT: 606100

ITEM: 100182

Line Total: 36.9783 FT

DECARB: OK AMS NO :2301 SEVERITY :0.015 FREQUENCY: 0.02

> The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. ./Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut.

JOANNE DESPRES

ourse prespose

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 01 of 02

Certification Date 4-MAY-2018

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

44655-J

PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number \$706609

1: 506426 SOLD TO: SHIP TO: METAUX SOLUTIONS INC. METAUX SOLUTIONS (RIVE-SUD) VENDU A: EXPÉDIÉ À: 2625 BOUL JACQUES CARTIER EST 2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1L7 LONGUEUIL OC J4N 1 Description: 4140/4142 HR HT BAR STRESS FREE 269/321 BHN 1-1/8 RD X 20 R/L Line Total: Line Total: 74.426 LB HEAT: 75065099 ITEM: 506426 Specifications: ASTM A193 GR B7 16 ASTM A434 GR BC 15 ASME SA193 GR B7 ASTM MA322 13 ASTM A962 12 ASTM A29 15 JDM AO QL-2 CHEMICAL ANALYSIS C 0.23 MN P S SI NI CR 0.41 0.87 0.015 0.029 0.19 0.90 0.17 CU SN AL V CA NB 0.0008 . 0.001 0.20 0.01 0.022 0.003 2.80 RCPT: R320531 COUNTRY OF ORIGIN : USA \_\_\_\_\_\_\_ MECHANICAL PROPERTIES ------YLD STR ULT TEN %ELONG %RED HARDNESS DESCRIPTION KSI KSI IN 02 IN IN AREA BHN 153.0 139.0 21.0 56.0 280

The above data were transcribed from the manufacturer's Certificate of Test 41.57 verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Ales informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

IDEAL DIAMETER : 5.1 IN GRAIN SIZE :5 - 8

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut.

JOANNE DESPRES

ourne herspren

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

# RTIFICATE OF TEST CERTIFICAT D'ESAIS

**CUSTOMER ORDER NUMBER** NUMÉRO DE COMMANDE DU CLIENT Page 02 of 02

Certification Date 4-MAY-2018

Invoice Number S706609

44655-J

PART NUMBER/NUMÉRO DE PIÈCE

506426

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

4.0c

METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

2625 BOUL JACQUES CARTIER EST

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7 LONGUEUIL OC J4N 1

Description:

4140/4142 HR HT BAR STRESS FREE 269/321 BHN

Line Total: 74.426 LB

1-1/8 RD X 20' R/L

75065099 HEAT:

ITEM: 506426

STRAND CAST REDUCTION RATIO 68.5 TO 1 MATERIAL IS FREE FROM MERCURY CONTAMINATION

NO WELD REPAIR PERFORMED ON MATERIAL

THERMAL TREATMENT: OK

AUSTENIZE 1640 DEG F FOR .60 MIN.

QUENCH 88 DEG F FOR .20 WATER

TEMPER 1410 DEG F FOR 60 MIN

MACRO: OK MICRO1: OK

> The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut.

JOANNE DESPRES

games Lesspreis

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

#### MATERIAL RECEIPT INSPECTION FORM

MATERIAL:	14140H-R1-125 MAY 0 9 2018	PO/BATCH NO:: 039701/507000	1
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	7es 22 12 0	THICKNESS ORDERED: 1-125 THICKNESS RECEIVED: 1,125 SHEET SIZE ORDERED: W/A SHEET SIZE RECEIVED: W/A	

DESCRIPTION	NC (Che		COMMENTS
	Y/I		SOMMENTO
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	4	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	. 1
CORRECT MATERIAL PER M-DRAWING	(Y)	Ν	ASTM A193
CORRECT THICKNESS	(Y)	N <sub>2</sub>	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(2)	N	Heart # 15063089
CORRECT MATERIAL IDENTFICATION	(2)	Ν	7, 0, 0
CORRECT M# ON THE MATERIAL	(1)	Ν	
DOES THIS MATERIAL REQUIRE		-	
ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN			
EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
F	RECORD RES	SULTS BELOV	N		
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION			ENGINEERING SIGNOFF (if required)
INSPECTED BY: _	DAS		SIGNED OFF BY:
DATE:	9-89	MAY 0 9 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



DESIGN 7	DRAWN BY	DART AEROSPAC HAWKESBURY, ONTARIO, O	
CHECKED	APPROVED	DRAWING NO. M4140H-R	REV. A SHEET 1 OF 1
DATE		TITLE	SCALE
	05.02.21	4140 ROUND BAR	1:1
A	05.02.21	NEW ISSUE	

PURCHASE MATERIAL: AIST 4140 H ROUND BAR

PER AISI 4140 OR ASTM A304-02/-A-434-BC/

4/193-03) GRADE-B7 /-A29-03/-A322-91 OR

UNS # - 641400

MINIMUM VIELD TENSILE STRENGTH = 100 KSi MINIMUM YIELD TENSILE STRENGTH = 66 KSi

PART NUMBER:

M4140H-R D.DDD WHERE D.DDD : DIAMETER IN INCHES

EG. 78" ROUND BAR = M4140 H-RO. 875



Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

#### MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M413	RY	V 1	2,250	w.049 -		PO / BATCH	NO::039	701/50700
MATERIAL CERT REC'D:	les	>		T	HIC	KNESS ORDE	RED: W.	049
QUANTITY RECEIVED:	39.	5		Т	HIC	KNESS RECE	VED: U/	049
QUANTITY INSPECTED: 3	9	カー		<b>-</b> s	HEE	T SIZE ORDE	RED: 1	11A
QUANTITY REJECTED:	a	/				T SIZE RECEI		111
				_			1	<del>/ · · · · · · · · · · · · · · · · · · ·</del>
DESCRIPTION	(CI	CR heck (/N)				COMMEN	ΤS	
SURFACE DAMAGE	Y	IN	5					
CORRECT FINISH	(Y)							
CORROSION	Y	(N)		16				/
CORRECT GRAIN DIRECTION	Q	M					1000000	
CORRECT MATERIAL PER M-DRAWING	0	N	167	36				
CORRECT THICKNESS	(4)	N	1.0	- Įo				
PHOTO REQUIRED	Υ	N	1					
CORRECT REF # TO LINK CERT	R	N	606	100 1	te	at #		
CORRECT MATERIAL IDENTFICATION	-	N						
CORRECT M# ON THE MATERIAL	$(\lambda)$	N						
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	N)						
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	(N)						
			l'					
CUT SAMPLE PIECE							SS CHECK.	
				SULTS BEL	ΟW			
TYPE OF MATERIAL			HRC	HRB	_	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					$\dashv$			
SIZE OF TEST SAMPLE	10	<u> </u>			$\dashv$			
HARDNESS / DUROMETER READII	<u> </u>							
	<u>te</u>	esters	located in	the Quality C	office	2		

QC 18 INSPECTION ENGINEERING SIGNOFF (if required)

DAS

INSPECTED BY: SIGNED OFF BY:

DATE: 9-89 DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

2012 -04-16

SCALE REV. B SHEET 1 OF 1 12.04.02 01.05.16 DATE DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.
M4130N-T
SHEE 96 87 RP B REFORMAT DWG TO ACCOMODATE ADDITIONAL TUBE DIAMETERS AND WALL THICKNESS: STEEL TUBING DESCRIPTION B & O W DESIGN JB
DESIGN JB
DESIGN RP
CHECKED AP
MFG. APPR.
APPROVED
DE APPR.
DE APPR. NEW ISSUE

COPYRIGHT © 2001 BY DART AEROSPACE LTD
HIS DOCARNI II PRINTI, ROD GEOFFRANK, NO S-UPPLED ON PLEDPRESS CONTRON
HOTTO EL USED FOR NAT AMPRICE, OF GARANICANTES DANS FOR PREPARED
HISTORY AND PROPERSON FROM THE PROPERSON FROM

PURCHASE MATERIAL: AISI 4130N SEAMLESS STEEL TUBING SPECIFICATION: MIL-T-6736 OR AMS 6371, 6360, 6361, 6362, 6373, 6374 M4130N TD.DDD W.TTT DIA. WALL PART NUMBER:

WHERE: "D.DDD" = OUTER DIAMETER (IN INCHES)
AND ".TTT" = WALL THICKNESS (IN INCHES)

EG. 3/4" TUBING WITH .035" WALL = M4130NT0.750W.035

œ

۵

U

SPECIFICATION CONTROL DRAWING